bores Carage Door Control Button Add-on Device Quickstart Guide

Model No. WGO2001

What's inside:



1x Garage Door Control Button



1x Power Adapter





2x U-fork Wires



2x18-Gauge Wires


All Home8 add-on devices have to work with Home8 systems.

Ţ<mark>╿</mark>Ţ<mark>╿</mark>

Mounting Accessories and Double-sided Tape

الخيار الثالث 3: قم بارفاقه موتور باب الجراج





• قم بالدخول على وحدة موتو رباب الجراج حدد مكان السلكتين المرتبطة هفتاح خانط باب الجراح، في حالة صعوبة الوصول لهم، يرجى الرجوع لديل التشغيل لموتور باب الجراج التي تربطها السلوك بمفتاح العائط، أو اتصل بنا، يسعدنا مساعدتك.

قم بتوصيل السلك لموتور باب الجراج

• على حسب الموتور الذي لديك، استخدم اسلاك يو فورك أو الاسلاك المستقيمة لربط زر باب الجراج الجديد بموتور باب الجراج • الاستمرار حتى الخطوة الرابعة

الخطوة الرابعة 4: توصيل وتركيب زر تحكم باب الجراج



رقم ١. قم بإدخال الاسلاك في الزر لزر تحكم باب الجراج (سلك واحد في كل فتحة، لا يهم الترتيب). رقم 2. قم بتوصيل زر تحكم باب الجراج بالكبل الموجود والشاحن الخاص به، ثم قم بتركيب زر التحكم بالبراغي أو الشريط مزدوج الجوانب

قم بإدخال الاسلاك والطاقة

الخطوة الخامسة 5: اختبر فاتح باب الجراج في تطبيق Home8 ، انتقال إلى التسغيل الآلي، فاتح باب الجراج ثم الضغط على زر الطاقة الأحمر سيكون التطبيق الخاص بك قادرًا على تشغيل باب الجراج

الخطوة 1: قم بتجميع الجهاز والملحقات

رقم ٦٠ افرغ محتويات العبوة بما فيها من الجهاز والمرفقات · رقم 2- قم بتوصيل الجهاز بوحدة Security Shuttle على مسافة 1-10 قدم للتأكد من أن التوصيل يعمل جيدًا . رقم 3- قم بتوصيل زر تحكم باب المرآب بشاحن الطافة ثم ضع المقبس .

> الفطوة 2: إضافة جهاز رقم 1. انتج تطبيق Home ، بنه اضغط على زر "≡" واختار "إدارة الج " رقم 3. انجح على زر إضافة "+" المجاور لقابمة الحساسات رقم 3. الموجوع في الجها (RD لالح تعليمات التعليم لعمل مصد ضوفي كود ملموطة، في حالة عدم اتكدال المسح الضوف، سيطلب مناك الرقم المسلس الغاص بالبهياز.

الخطوة الثالثة 3: اختار طريقة التثبيت

قم مِراّجعة ثلاث خيارات التركّيُّب ادناه ثُمَّ الرجوع إلى كتيب المستخدم لباب المرآب المحدد .

الخيار الأول 1: استخدمها عن طريق مفتاح الحائط





مع مفتاح الحائط الموجود

یتم ارفاق اسلاك یو فورك

• قم بقلت مثلت حالط باب الجراج البراغي التي تنتيم في مكانهم البراغي التي تنتيم في مكانهم - قم يوضع أحد أطراف السلك تحت أخرى - قم بإعادة وضع وجه المثلت مرة أخرى • الاستمرار حتى الخطوة الرابعة

الخيار الثاني 2: قم باستبدال مفتاح الحائط الحالي





استبدال مفتاح الحائط الحالى

- قم باإزالة المفتاح كاملًا
- قم بقك مفتاح حائط باب الجراج • حدد مكان السلكتين المرتبطة موتور باب الجراج، ثم قم بفك • البراغي التي تثبتهم في مكانهم قم بإزالة مفتاح الحائط لباب الجراج كاملًا •الاستمرار حتى الخطوة الرابعة

How can I backup recorded video?

You can backup your recorded video by using any of the following methods.

- By setting automatic backup to Dropbox. (Dropbox account needed)
- By sharing your recorded video from VideoGram to your appointed method.

How do I retrieve my Home8 Mobile app password?

Go to the sign-in page of your Home8 app and tap "Forgot password?". Follow the instruction on screen to enter your phone number. You will then receive an access code via SMS. After input an Access Code that app requested, you can then reset the password by yourself. You will also receive a confirmation email after successfully reset your password.

How can I be certain my personal information is secured?

Our first level of security is authentication and your password is encrypted when you sign in to your account. At the next level where all data is transmitted, including videos, images, as well account information, bank-level AES data encryption is used.

How can I be sure unauthorized people are unable to look at my videos on the cloud?

With your privacy in mind, all data is encrypted with bank-level security, and each user has his/her own account to access the video. Our system alerts you and your authorized users when it detects login attempts from unauthorized smart devices.

How many locations can I manage from my Home8 app?

Home8 app is built to support multi-location management. You can manage as many locations as you would like, and we do not place a limit on the number of Home8 Systems you can purchase.

If I lose my smart device, what should I do to protect my Home8 account?

We recommend you to change your password as soon as possible by using other smart device with Home8 App installed to sign in to your account to make the change to your password. Alternatively, you may also contact us to disable your account for you.

Is there a place I can view the user manual online?

Yes, visit www.home8alarm.com/download , and then access user manuals.

What are the requirements prior to purchasing an Home8 System?

Because Home8 System is a fully IoT interactive system, it will require the following:

- Broadband Internet connection. (dial-up connections are not supported)
- DHCP-enabled router with an available LAN port.
- Smart devices with internet connection.

What can I do if a camera is offline?

If a camera is showing as "offline", try power cycle on the camera first and wait approximately two minutes, if the offline situation persists, try moving the camera closer to the Security Shuttle and power cycle the device again. After tried the methods above, if the offline status is still not resolved, please contact our Technical Support for further troubleshooting assistance.

What can I do if my system is offline?

First, try checking your internet connection, if the connection is working properly, then unplug the network cable from your Security Shuttle for 10 seconds, and then reconnect it. If the Security Shuttle is still offline after 5 minutes, please contact our Technical Support for further troubleshooting assistance.

Troubleshooting Tips

Are your devices listed in your app?

If you're having trouble installing your devices, see if they're listed in your Home8 app:

- Navigate to ≡ > Device Management to see if all your devices are listed
- Tap + next to the device category and follow the on-screen instructions to add any missing devices

Are your devices communicating with Security Shuttle?

- If your devices don't connect to Security Shuttle, they might be too far away. Take them to a location that's closer to Security Shuttle and try again.
- . If they do connect, you'll know the range of your device and where to install a range extender.
- · Alternatively, you can move Security Shuttle closer to your device.

Do you need to reset your sensor?

If your sensor isn't communicating with Security Shuttle, you may need to reset your sensor.

- Press the reset button on the back of device with a pin for approximately 5 seconds.
- . The LED will flash red and green then orange to green flashing.
- · Return to the app and follow the onscreen instructions.

Need help installing your Home8 system?

http://www.home8alarm.com/download/ support-global@home8systems.com